


Roller 4 in. O.D. x 1/2 in. Wall - 1 1/16 in. Hex Axle



Roller No. 28551 - BF
Regreasable

Roller No. 28552 - BF

Description:

Tube: 4 in. O.D. x 1/2 in. Wall (.500 in.)

Axle: 1 1/16 in. Hex

Pin No.: 101009


Weight (lbs.): 2.66 + 1.80 x BF

ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No.		BF*	Bearing No.	
	102101	102086		102101	102086
7	4130	1040	67	1841	1040
12	4130	1040	72	1709	1040
17	4130	1040	77	1596	1040
22	4130	1040	82	1496	1040
27	4130	1040	87	1408	1040
32	3989	1040	92	1330	1040
37	3419	1040	97	1260	1040
42	2992	1040	102	1197	1040
47	2659	1040	107	1140	1040
52	2393	1040	112	1088	1040
57	2176	1040	117	1041	1040
62	1994	1040	120	1014	1040

Roller No.	Bearing No.	Retained	BF
28552 - BF	102101 - Seal	Pin	4 - 120
28551 - BF	102086 - Seal/Shield	Pin	4 - 120

* Between Frame Widths available from 4 in. to 120 in.

Roller 4 in. O.D. x 1/2 in. Wall - 1 1/8 in. Hex Axle



Description:

Tube: 4 in. O.D. x 1/2 in. Wall (.500 in.)

Axle: 1 1/8 in. Hex

Bearing Assembly No.: 27949 - Seal/Shield

Bearing No.: 102220

Sleeve No.: 24863

Pin No.: 101009

Weight (lbs.): 2.12 + 1.83 x BF


Roller No.: 28553 - BF

BF Range: 4 - 120

ROLLER CAPACITY CHART (LBS.)			
BF*	Bearing No. 27949	BF*	Bearing No. 27949
7	6172	67	3032
12	6172	72	2817
17	6172	77	2630
22	6172	82	2466
27	6172	87	2322
32	6172	92	2194
37	5602	97	2079
42	4909	102	1975
47	4368	107	1881
52	3935	112	1796
57	3455	117	1718
62	3283	120	1675

* Between Frame Widths available from 4 in. to 120 in.

Roller 4 in. O.D. x 1/2 in. Wall - 1 3/8 in. Round Axle




Description:

- Tube:** 4 in. O.D. x 1/2 in. Wall (.500 in.)
- Axle:** 1 3/8 in. Round - Notched for Keeper Bar
- Bearing Assembly No.:** 27951 - Seal/Shield
 - Bearing No.:** 102215
 - Sleeve No.:** 24863
- Pin No.:** 101009
- Weight (lbs.):** 1.77 + 1.98 x BF
- Roller No.:** 28554 - BF
- BF Range:** 4 - 130

ROLLER CAPACITY CHART (LBS.)			
BF*	Bearing No. 27951	BF*	Bearing No. 27951
7	6172	67	5287
12	6172	72	4909
17	6172	77	4581
22	6172	82	4294
27	6172	87	4041
32	6172	92	3816
37	6172	97	3615
42	6172	102	3434
47	6172	107	3271
52	6172	112	3122
57	6172	117	2986
62	5729	120	2910

* Between Frame Widths available from 4 in. to 130 in.

Roller 4 in. O.D. x 1/2 in. Wall - 1 7/16 in. Round Axle




Description:

- Tube:** 4 in. O.D. x 1/2 in. Wall (.500 in.)
- Axle:** 1 7/16 in. Round - Notched for Keeper Bar
- Bearing Assembly No.:** 24862 - Seal/Shield
 - Bearing No.:** 102147
 - Sleeve No.:** 24863
- Pin No.:** 101009
- Weight (lbs.):** 1.71 + 2.02 x BF
- Roller No.:** 24875 - BF
- BF Range:** 4 - 130

ROLLER CAPACITY CHART (LBS.)			
BF*	Bearing No. 24862	BF*	Bearing No. 24862
7	6172	67	5287
12	6172	72	4909
17	6172	77	4581
22	6172	82	4294
27	6172	87	4041
32	6172	92	3816
37	6172	97	3615
42	6172	102	3434
47	6172	107	3271
52	6172	112	3122
57	6172	117	2986
62	5729	120	2910

* Between Frame Widths available from 4 in. to 130 in.

Roller 4 1/4 in. O.D. x 1/4 in. Wall - 1 3/16 in. Round Axle




Description:

- Tube:** 4 1/4 in. O.D. x 1/4 in. Wall (.250 in.)
- Axle:** 1 3/16 in. Round - Notched for Keeper Bar
- Bearing Assembly No.:** 27957 - Seal/Shield
 - Bearing No.:** 102216
 - Sleeve No.:** 27972
- Pin No.:** 101009
- Weight (lbs.):** 4.55 + 1.20 x BF
- Roller No.:** 28555 - BF
- BF Range:** 4 - 120

ROLLER CAPACITY CHART (LBS.)			
BF*	Bearing No. 27957	BF*	Bearing No. 27957
7	4646	67	3342
12	4646	72	3104
17	4646	77	2897
22	4646	82	2717
27	4646	87	2557
32	4646	92	2415
37	4646	97	2288
42	4646	102	2174
47	4646	107	2071
52	4342	112	1977
57	3949	117	1891
62	3620	120	1843

* Between Frame Widths available from 4 in. to 120 in.

Roller 4 1/4 in. O.D. x 7/16 in. Wall - 1 1/4 in. Hex Axle



Description:

- Tube:** 4 1/4 in. O.D. x 7/16 in. Wall (.438 in.)
- Axle:** 1 1/4 in. Hex
- Bearing No.:** 102205 - Seal/Shield
- Pin No.:** 101009
- Weight (lbs.):** 3.43 + 1.87 x BF


ROLLER CAPACITY CHART (LBS.)			
BF*	Bearing No. 102205	BF*	Bearing No. 102205
7	4500	67	4438
12	4500	72	4121
17	4500	77	3846
22	4500	82	3605
27	4500	87	3392
32	4500	92	3204
37	4500	97	3035
42	4500	102	2883
47	4500	107	2746
52	4500	112	2621
57	4500	117	2507
62	4500	120	2443

* Between Frame Widths available from 4 in. to 130 in.

Roller No.	Bearing No.	Retained	BF
28033 - BF	102205 - Non-Regreasable	Pin	4 - 120
28034 - BF	102205 - Regreasable	Pin	4 - 120

Rollers, Bearings & Wheels

Roller 4 1/4 in. O.D. x 7/16 in. Wall - 1 7/16 in. Round Axle



Description:

Tube: 4 1/4 in. O.D. x 7/16 in. Wall (.438 in.)

Axle: 1 7/16 in. Round - Notched for Keeper Bar

Bearing Assembly No.: 24864 - Seal/Shield

Bearing No.: 102147

Sleeve No.: 24865

Pin No.: 101009

Weight (lbs.): 5.35 + 1.95 x BF


Roller No.: 28556 - BF

BF Range: 4 - 130

ROLLER CAPACITY CHART (LBS.)			
BF*	Bearing No. 24864	BF*	Bearing No. 24864
7	6172	67	5588
12	6172	72	5188
17	6172	77	4841
22	6172	82	4538
27	6172	87	4271
32	6172	92	4033
37	6172	97	3821
42	6172	102	3630
47	6172	107	3456
52	6172	112	3299
57	6172	117	3156
62	6054	120	3075

* Between Frame Widths available from 4 in. to 130 in.

Roller 5 in. O.D. x 3/4 in. Wall - 1 7/16 in. Round Axle



Description:

Tube: 5 in. O.D. x 3/4 in. Wall (.750 in.)

Axle: 1 7/16 in. Round - Notched for Keeper Bar

Bearing Assembly No.: 24864 - Seal/Shield

Bearing No.: 102147

Sleeve No.: 24865

Pin No.: 101009

Weight (lbs.): 3.83 + 3.30 x BF


Roller No.: 24876 - BF

BF Range: 5 - 130

ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 24864	BF*	Bearing No. 24864	BF*	Bearing No. 24864
7	6172	47	6172	87	4859
12	6172	52	6172	92	4589
17	6172	57	6172	97	4347
22	6172	62	6172	102	4129
27	6172	67	6172	107	3932
32	6172	72	5902	112	3753
37	6172	77	5508	117	3590
42	6172	82	5163	120	3499

* Between Frame Widths available from 5 in. to 130 in.

Roller 5 in. O.D. x 3/4 in. Wall - 1 1/2 in. Hex Axle



Description:

Tube: 5 in. O.D. x 3/4 in. Wall (.750 in.)

Axle: 1 1/2 in. Hex

Bearing Assembly No.: 27953 - Seal/Shield

Bearing No.: 102222

Sleeve No.: 26839

Pin No.: 101009

Tube Spacer: 2 in. O.D. x 11 ga. - 3/16 in. Long

Weight (lbs.): 4.15 + 3.39 x BF


Roller No.: 28557 - BF

BF Range: 7 - 130

ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 27953	BF*	Bearing No. 27953	BF*	Bearing No. 27953
7	7836	47	7836	87	7836
12	7836	52	7836	92	7836
17	7836	57	7836	97	7632
22	7836	62	7836	102	7251
27	7836	67	7836	107	6907
32	7836	72	7836	112	6594
37	7836	77	7836	117	6308
42	7836	82	7836	120	6148

* Between Frame Widths available from 7 in. to 130 in.

Roller 5 in. O.D. x 3/4 in. Wall - 1 11/16 in. Round Axle



Description:

Tube: 5 in. O.D. x 3/4 in. Wall (.750 in.)

Axle: 1 11/16 in. Round - Notched for Keeper Bar

Bearing Assembly No.: 26838 - Seal/Shield

Bearing No.: 102165

Sleeve No.: 26839

Pin No.: 101142

Weight (lbs.): 3.00 + 3.47 x BF

Roller No.: 26837 - BF

BF Range: 7 - 130

ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 26838	BF*	Bearing No. 26838	BF*	Bearing No. 26838
7	7836	47	7836	87	7683
12	7836	52	7836	92	7254
17	7836	57	7836	97	6869
22	7836	62	7836	102	6524
27	7836	67	7836	107	6212
32	7836	72	7836	112	5928
37	7836	77	7836	117	5669
42	7836	82	7836	120	5524

* Between Frame Widths available from 7 in. to 130 in.

Roller 5 9/16 in. O.D. x 3/4 in. Wall - 1 1/2 in. Hex Axle

Description:

Tube: 5 9/16 in. O.D. x 3/4 in. Wall (.750 in.)

Axle: 1 1/2 in. Hex

Bearing Assembly No.: 27958 - Seal/Shield

Bearing No.: 102222

Sleeve No.: 27967


Pin No.: 101009

Tube Spacer: 2 in. O.D. x 11 ga. - 3/16 in. Long

Weight (lbs.): 9.12 + 3.77 x BF

Roller No.: 28558 - BF

BF Range: 7 - 130



ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 27958	BF*	Bearing No. 27958	BF*	Bearing No. 27958
7	7836	47	7836	87	7836
12	7836	52	7836	92	7836
17	7836	57	7836	97	7632
22	7836	62	7836	102	7251
27	7836	67	7836	107	6907
32	7836	72	7836	112	6594
37	7836	77	7836	117	6308
42	7836	82	7836	120	6148

* Between Frame Widths available from 7 in. to 130 in.

Roller 5 9/16 in. O.D. x 3/4 in. Wall - 1 11/16 in. Round Axle

Description:

Tube: 5 9/16 in. O.D. x 3/4 in. Wall (.750 in.)

Axle: 1 11/16 in. Round - Notched for Keeper Bar

Bearing Assembly No.: 27959 - Seal/Shield

Bearing No.: 102165


Sleeve No.: 27967

Pin No.: 101009

Weight (lbs.): 7.65 + 3.85 x BF

Roller No.: 28559 - BF


BF Range: 7 - 130



ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 27959	BF*	Bearing No. 27959	BF*	Bearing No. 27959
7	7836	47	7836	87	7683
12	7836	52	7836	92	7254
17	7836	57	7836	97	6869
22	7836	62	7836	102	6524
27	7836	67	7836	107	6212
32	7836	72	7836	112	5928
37	7836	77	7836	117	5669
42	7836	82	7836	120	5524

* Between Frame Widths available from 7 in. to 130 in.

Roller 6 in. O.D. x 3/4 in. Wall - 1 15/16 in. Round Axle




Description:

- Tube:** 6 in. O.D. x 3/4 in. Wall (.750 in.)
- Axle:** 1 15/16 in. Round
- Bearing Assembly No.:** 27960 - Seal/Shield
- Bearing No.:** 102217
- Sleeve No.:** 27968
- Pin No.:** 101142
- Weight (lbs.):** 9.25 + 4.34 x BF
- Roller No.:** 28561 - BF
- BF Range:** 7 - 130

ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 27960	BF*	Bearing No. 27960	BF*	Bearing No. 27960
7	8390	47	8390	87	8390
12	8390	52	8390	92	8390
17	8390	57	8390	97	8390
22	8390	62	8390	102	8390
27	8390	67	8390	107	8390
32	8390	72	8390	112	8390
37	8390	77	8390	117	8390
42	8390	82	8390	120	8390

* Between Frame Widths available from 7 in. to 130 in.

Roller 6 in. O.D. x 3/4 in. Wall - 2 7/16 in. Round Axle



Description:


- Tube:** 6 in. O.D. x 3/4 in. Wall (.750 in.)
- Axle:** 2 7/16 in. Round - Notched for Keeper Bar
- Bearing Assembly No.:** 27962 - Seal/Shield
- Bearing No.:** 102218
- Sleeve No.:** 27969
- Pin No.:** 101143
- Weight (lbs.):** 7.10 + 4.83 x BF
- Roller No.:** 28562 - BF
- BF Range:** 7 - 130

ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 27962	BF*	Bearing No. 27962	BF*	Bearing No. 27962
7	12550	47	12550	87	12550
12	12550	52	12550	92	12550
17	12550	57	12550	97	12356
22	12550	62	12550	102	11730
27	12550	67	12550	107	11165
32	12550	72	12550	112	10651
37	12550	77	12550	117	10183
42	12550	82	12550	120	9921

* Between Frame Widths available from 7 in. to 130 in.

Rollers, Bearings & Wheels

Roller 6 in. O.D. x 3/4 in. Wall - 2 15/16 in. Round Axle




Description:

Tube: 6 in. O.D. x 3/4 in. Wall (.750 in.)
Axle: 2 15/16 in. Round - Notched for Keeper Bar
Bearing No.: 102203 - Seal/Shield
Pin No.: 101145
Weight (lbs.): 4.28 + 5.42 x BF
Roller No.: 28563 - BF
BF Range: 7 - 130

ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 102203	BF*	Bearing No. 102203	BF*	Bearing No. 102203
7	56713	47	26615	87	13864
12	56713	52	23871	92	13081
17	56713	57	21639	97	12382
22	56713	62	19790	102	11753
27	49269	67	18231	107	11185
32	40624	72	16901	112	10670
37	34560	77	15751	117	10200
42	30071	82	14748	120	9937

* Between Frame Widths available from 7 in. to 130 in.

Roller 6 1/2 in. O.D. x 1 in. Wall - 2 7/16 in. Round Axle




Description:

Tube: 6 1/2 in. O.D. x 1 in. Wall
Axle: 2 7/16 in. Round - Notched for Keeper Bar
Bearing Assembly No.: 27962 - Seal/Shield
Bearing No.: 102218
Sleeve No.: 27969
Pin No.: 101143
Weight (lbs.): 4.36 + 6.22 x BF
Roller No.: 28564 - BF
BF Range: 7 - 130

ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 27962	BF*	Bearing No. 27962	BF*	Bearing No. 27962
7	12550	47	12550	87	12550
12	12550	52	12550	92	12550
17	12550	57	12550	97	12550
22	12550	62	12550	102	12550
27	12550	67	12550	107	12550
32	12550	72	12550	112	12550
37	12550	77	12550	117	12550
42	12550	82	12550	120	12550

* Between Frame Widths available from 7 in. to 130 in.

Roller 6 1/2 in. O.D. x 1 in. Wall - 2 15/16 in. Round Axle




Description:

- Tube:** 6 1/2 in. O.D. x 1 in. Wall
- Axle:** 2 15/16 in. Round - Notched for Keeper Bar
- Bearing No.:** 102203 - Seal/Shield
- Pin No.:** 101145
- Weight (lbs.):** 0.97 + 6.80 x BF
- Roller No.:** 28565 - BF
- BF Range:** 7 - 130

ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 102203	BF*	Bearing No. 102203	BF*	Bearing No. 102203
7	56713	47	38129	87	19863
12	56713	52	34198	92	18741
17	56713	57	31002	97	17738
22	56713	62	28352	102	16838
27	56713	67	26119	107	16024
32	56713	72	24213	112	15286
37	49512	77	22565	117	14613
42	43081	82	21128	120	14236

* Between Frame Widths available from 7 in. to 130 in.

Roller 7 5/8 in. O.D. x 7/8 in. Wall - 1 11/16 in. Round Axle



Description:


- Tube:** 7 5/8 in. O.D. x 7/8 in. Wall (.875 in.)
- Axle:** 1 11/16 in. Round - Notched for Keeper Bar
- Bearing Assembly No.:** 27964 - Seal/Shield
- Bearing No.:** 102165
- Sleeve No.:** 27970
- Pin No.:** 101009
- Weight (lbs.):** 16.50 + 5.88 x BF
- Roller No.:** 28567 - BF
- BF Range:** 7 - 130

ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 27964	BF*	Bearing No. 27964	BF*	Bearing No. 27964
7	7836	47	7836	87	7683
12	7836	52	7836	92	7254
17	7836	57	7836	97	6869
22	7836	62	7836	102	6524
27	7836	67	7836	107	6212
32	7836	72	7836	112	5928
37	7836	77	7836	117	5669
42	7836	82	7836	120	5524

* Between Frame Widths available from 7 in. to 130 in.

Rollers, Bearings & Wheels

Roller 8 in. O.D. x 1 in. Wall - 2 15/16 in. Round Axle



Description:

Tube: 8 in. O.D. x 1 in. Wall

Axle: 2 15/16 in. Round - Notched for Keeper Bar

Bearing Assembly No.: 27965 - Seal/Shield

Bearing No.: 102219

Sleeve No.: 27971

Pin No.: 101145

Weight (lbs.): 18.85 + 8.15 x BF


Roller No.: 28570 - BF

BF Range: 7 - 130

ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 27965	BF*	Bearing No. 27965	BF*	Bearing No. 27965
7	15878	47	15878	87	15878
12	15878	52	15878	92	15878
17	15878	57	15878	97	15878
22	15878	62	15878	102	15878
27	15878	67	15878	107	15878
32	15878	72	15878	112	15878
37	15878	77	15878	117	15878
42	15878	82	15878	120	15878

* Between Frame Widths available from 7 in. to 130 in.

Roller 8 in. O.D. x 1 in. Wall - 3 7/16 in. Round Axle



Description:

Tube: 8 in. O.D. x 1 in. Wall

Axle: 3 7/16 in. Round - Notched for Keeper Bar

Bearing No.: 102204 - Seal/Shield

Pin No.: 101144

Weight (lbs.): 7.70 + 8.86 x BF

Roller No.: 28571 - BF

BF Range: 7 - 130

ROLLER CAPACITY CHART (LBS.)					
BF*	Bearing No. 102204	BF*	Bearing No. 102204	BF*	Bearing No. 102204
7	80458	47	63752	87	33044
12	80458	52	57117	92	31167
17	80458	57	51733	97	29492
22	80458	62	47276	102	27988
27	80458	67	43527	107	26630
32	80458	72	40328	112	25398
37	80458	77	37567	117	24274
42	72131	82	35161	120	23647

* Between Frame Widths available from 7 in. to 130 in.